	8	7	6	5	. <b>4</b>	3	2	1	
-1 -2 -3 -4	QTY 1 1 1 2 2 2 2	PART #  RBW6405G07231-3G-1  RBW6405G07231-3G-2  RBW6405G07231-3G-3  RBW6405G07231-3G-4	PART TITLE  HANDLE  CLAMP  HALF SHELL  FINGER		B A A				
				•	B —				
		2 PL (-3					SECTION B-B		
		-(-2)					The state of the s		C
						SEE PREVIOUS PDFs F TEMPLATE UPDATED F ITEM -03 CHANGED FO	OR OLDER REVs PER DART HBY STANDARDS R ITEM -1		49
		RBW6405G07231-3G T/R SL	IDER BUSHING INSTALL TOOL			ENGRAVING "MADE IN CHANGED FOR Ø1.57, ADDED, COURSE DIAM DIAMOND KNURL, DIME DRILL ADDED, MATERIA ACETAL ASTM D6100, D	R ITEM -3 R ITEM -4 5 +0.002/-0 CHANGED FOR 0.196 +0.002/-0, USA" AND S/N REMOVED, DIMENSION Ø1.730 DIMENSION 1.58 REMOVED, DIMENSION 3.920 OND KNURL CHANGED FOR MEDIUM ENSION R0.008 MAX 2 PL ADDED, CENTER AL DELRIN CHANGED FOR WHITE DELRIN / DIMENSION .390 REMOVED, DIMENSION 0.950	ום מאם	VM
NOTE			8			ASTM D6100 ITEM -3 DIMENSION R0. CMF 4 PL ADDED, DIME CHANGED FOR WHITE ITEM -4 DIMENSION R0. FOR 4.13, DIMENSION REMOVED, DIMENSION	OND KNURL CHANGE FOR MEDIUM DIAMOND 2.065 CHANGED FOR \$\phi 2.065 +0.005/-0, \$\times ADDED, DIMENSION 0.03 \times 45.0° CMF 5 PL .RIN CHANGED FOR WHITE DELRIN / ACETAL .008 MAX ADDED, DIMENSION 0.03 \times 45.0° CNSION 1.850 ADDED, MATERIAL DELRIN DELRIN / ACETAL ASTM D6100 .008 MAX ADDED, DIMENSION 4.130 CHANGED 0.03 \times 45.0° CMF 2 PL ADDED, DIMENSION .110 (0.390 +0.005/-0 ADDED, MATERIAL 6061 6/7075-T6, FINISH CLEAR ANODIZE CHANGED		
1) MA 2) HE 3) FIN	TERIAL: N AT TREAT ISH: N/A	T: N/A			SECTION A-A	REV. DESCRIPTION DESIGN VM	DADT AEDOCDACE	ECN#	ВУ
5) UN 6) IDE	ERANCES: X.X = +/- 0.1" / +/- 1° X.XX = +/- 0.01" / +/- 0.5° X.XXX = +/- 0.005" / +/- 0.1° X.XXXX = +/- 0.0005" / +/- 0.05° PARALLELISM, ECCENTRICITY AND SYMMETRY ABOUT ALL CENTER LINES = +/-0.005" TS: INCHES UNLESS OTHERWISE NOTED NTIFICATION: N/A SEMBLE AS SHOWN			05"		DRAWN VM CHECKED KPT MFG. APPR. JFC	DART AEROSPACE HAWKESBURY, ONTARIO, CA TOOL PART # RBW6405G07231-3G TITLE T/R SLIDER BUSHING INSTALL TO COPYRIGHT © 2019 BY DART AEROSPA	NADA RI SHEET SCALE OL NTS	AEV. D
8) TH	E TOOL A	SSY MUST BE PACKAGED WITH A D	PESICCANT BAG INTO A TIGHT FITTING SEALED PLA	ASTIC BAG	*	2019-00-20	THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EX NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO AN WRITTEN PERMISSION FROM DART AEROSPACE L'	PRESS CONDITION THAT IT IS Y OTHER PERSON WITHOUT	







